

PUBLIC DISPLAYS

Basic


Information display. Digital Signage.



Innovation. Experience. Flexibility. Quality.



SLIM BEZEL DESIGN



cDPM front sensor

cDPM

Display Performance Monitoring

A special sensor integrated in the front bezel continuously monitors the TFT panel's function (backlight, inverter, power supply and interface). Any malfunction is immediately detected and reported.

PUBLIC DISPLAYS - Basic



Vienna Train Station / Austria



Changi Airport / Singapore



Tegel Airport Berlin / Germany



Bogota Airport / Colombia



Book shop Huebscher, Kulmbach / Germany

Applications

BUSINESS

AIRPORT

TRANSPORT

Display of information, advertising and entertainment in waiting and sales areas (POI Point-of-Information / POW Point-of-Waiting / POS Point-of-Sales) where the displays are **out of reach and a front protection is not required.**

B2B

- Cultural facilities - museum, theatres, cinemas
- Government agencies & other public buildings
- Banking & finance
- Stadia & other sports facilities
- Leisure & recreational facilities
- Shopping malls
- Supermarkets & shops
- Exhibition & event centres
- Hotels & restaurants

Airports

- Arrival & departure information
- Check-in
- Gate
- Information counters
- Lounges & waiting areas
- Meeting points

Train & bus stations, subway & light rail stations, mountain railways, etc.

- Time tables
- Track information
- Ticket counters
- Information counters
- Information terminals
- Lounges & waiting areas
- Meeting points

Features & advantages

SLIM BEZEL

UNIVERSAL

DURABLE

Based on decades of experience CONRAC develops and produces real Public Displays, designed and engineered for 24/7/365 operation.

As a result of extensive R&D, CONRAC has implemented various vital cTEC functions into their displays to guarantee maximum reliability and durability, thus contributing to a reduced cost of ownership.


- Lowest energy consumption
- Low-noise concept
- cDPM for monitoring of display functions
- Robust fire-retardant aluminium housings with powder coating (IP20)
- Design-oriented slim bezel design (30mm)
- External controls and connections are out of reach
- Dedicated for landscape and portrait mode applications
- VESA mounting (600 x 200)
- Long-term service and support guaranteed

Products

Display type	6032 BD
Diagonal	32" / 80cm
Resolution (pixel)	1366 x 768
Dimensions (mm) HxWxD	453x764x126mm
Weight (+/- 10%)	12.9 kg

Configurations

The modular concept allows the integration of different electronic platforms.



Display Solution (AV)	PC Solution (IPC)	System Solution (GEB*)
Monitor for connection to external signal sources	Hardware-platform for Windows based applications	All-in solution for Digital Signage Systems (Hardware & Software)
Display	Display	Display
	Integrated Industrial PC	Integrated Controller*
	Operating System (WinXP® embedded)	Operating System (RTOS**)
	Monitoring Software (CONRAC Tray)	Monitoring Software (emb. in Client Software)
		Client Software
		Server Software (optional)

* Graphic Engine Board

** non-Windows based operating system



CONRAC Technology

Makes your displays last longer.



Ambient Light Control



Black and White Expansion



Innovative Cooling System



Dynamic Contrast Control



Dynamic Noise Control



Display Performance Monitoring



Dynamic Pixel Refreshing



Eco-friendly products



Life Time Expansion



Pixel Shifting



Soft Picture Mode



Temperature Control System



True Movie Mode

Developed / Designed / Made in Germany

Head office & production:

CONRAC GmbH

Lindenstrasse 8 - D-97990 Weikersheim
Germany

Tel.: +49-7934-101 0

Fax: +49-7934-101 101

E-mail: info@conrac.de

Internet: www.conrac.de

Specification subject to change without
prior notice.

GM flyer_basic_0-0016_e_rev00

Subsidiaries & Sales Offices:

CONRAC France - Paris

E-mail: info@conracfrance.fr

www.conrac.fr

Tel.: +33 (0)3-44 54 96 99

CONRAC Asia - Singapore

E-mail: sales@conrac-asia.com

www.conrac-asia.com

Tel.: +65-67 42 79 88

CONRAC MENA FZE - Dubai

E-mail: info@conrac.ae

www.conrac.ae

Tel.: +971-4 29 94 009

CONRAC South Africa - Johannesburg

E-Mail: info@conrac.co.za

www.conrac.co.za

Tel.: +27-83-635 0369

CONRAC Latin America - Bogota

E-Mail: info@conrac.com.co

www.conrac.com.co

Tel./Fax: +57-1-34 65 338

CONRAC Sales Office Southern Europe - Rome

E-mail: info@conrac.it

www.conrac.it

Tel.: +39 06-45 43 92 02

CONRAC Sales Office Northern Europe - Helsingborg

E-mail: info@conrac.se

www.conrac.se

Tel.: +46 42 212 939

